


PENDING CLAIMS

Application No. Not yet assigned (Continuation of Application No. 10/182,830)

Attorney Docket No. 05725.0795-02000

Filed: February 27, 2004

104. A method of making a mascara comprising including in said mascara:
- (i) at least one solid substance that has a melting point of about 45°C or greater;
 - (ii) at least one fatty phase structured by at least one polymer;
 - (iii) at least one structuring polymer chosen from polymers of following formula (I):



in which n denotes a number of amide units, such that the number of ester groups represents from 10% to 50% of the total number of ester and amide groups; R¹ is, in each case, independently an alkyl or alkenyl group having at least 4 carbon atoms; R² independently represents, in each case, a C₄ to C₄₂ hydrocarbonaceous group, provided that 50% of the R² groups represent a C₃₀ to C₄₂ hydrocarbonaceous group; R³ independently represents, in each case, an organic group provided with at least 2 carbon atoms, with hydrogen atoms and optionally with one or more oxygen or nitrogen atoms; and R⁴ independently represents, in each case, a hydrogen atom, a C₁ to C₁₀ alkyl group or a direct bond to R³ or another R⁴, so that the nitrogen atom to which both

R^3 and R^4 are bonded forms part of a heterocyclic structure defined by R^4-N-R^3 , with at least 50% of the R^4 groups representing a hydrogen atom;

- (iv) water;
- (v) at least one coloring agent; and
- (vi) at least one preservative.

105. The method of making a mascara according to claim 104, wherein the at least one fatty phase comprises at least one volatile oil.

106. The method of making a mascara according to claim 105, wherein said at least one volatile oil is chosen from isododecane.

107. The method of making a mascara according to claim 104, further comprising including at least one neutralizing agent.

108. A method of making a mascara comprising including in said mascara:

- (i) at least one solid substance that has a melting point of about 45°C or greater;
- (ii) at least one fatty phase structured by at least one polymer;
- (iii) at least one structuring polymer chosen from ethylenediamine/stearyl dimer tallate copolymer;
- (iv) water;
- (v) at least one coloring agent; and

(vi) at least one preservative.

109. The method of making a mascara according to claim 108, wherein the at least one fatty phase comprises at least one volatile oil.


110. The method of making a mascara according to claim 109, wherein said at least one volatile oil is chosen from isododecane.

111. The method of making a mascara according to claim 108, further comprising including at least one neutralizing agent.

112. A method of making a mascara comprising mixing:

- (i) at least one solid substance that has a melting point of about 45°C or greater;
- (ii) at least one fatty phase structured by at least one polymer;
- (iii) at least one structuring polymer chosen from polymers of following formula

(I):



in which n denotes a number of amide units, such that the number of ester groups represents from 10% to 50% of the total number of ester and amide groups; R^1 is, in each case, independently an alkyl or alkenyl group having at least 4 carbon atoms; R^2 independently represents, in each case, a C_4 to C_{42} hydrocarbonaceous group, provided that 50% of the R^2 groups represent a C_{30} to C_{42} hydrocarbonaceous group; R^3 independently represents, in each case, an organic group provided with at least 2 carbon atoms, with hydrogen atoms and optionally with one or more oxygen or nitrogen atoms; and R^4 independently represents, in each case, a hydrogen atom, a C_1 to C_{10} alkyl group or a direct bond to R^3 or another R^4 , so that the nitrogen atom to which both R^3 and R^4 are bonded forms part of a heterocyclic structure defined by R^4-N-R^3 , with at least 50% of the R^4 groups representing a hydrogen atom;

- (iv) water;
- (v) at least one coloring agent; and
- (vi) at least one preservative.

113. The method of making a mascara according to claim 112, wherein the at least one fatty phase comprises at least one volatile oil.

114. The method of making a mascara according to claim 113, wherein said at least one volatile oil is chosen from isododecane.

115. The method of making a mascara according to claim 112 further comprising including at least one neutralizing agent.

116. A method of making a mascara comprising mixing:

- (i) at least one solid substance that has a melting point of about 45°C or greater;
- (ii) at least one fatty phase structured by at least one polymer;
- (iii) at least one structuring polymer chosen from ethylenediamine/stearyl dimer tallate copolymer;
- (iii) water;
- (iv) at least one coloring agent; and
- (ii) at least one preservative.

117. The method of making a mascara according to claim 116, wherein the at least one fatty phase comprises at least one volatile oil.

118. The method of making a mascara according to claim 117, wherein said at least one volatile oil is chosen from isododecane.

119. The method of making a mascara according to claim 116, further comprising including at least one neutralizing agent.